

Ustekinumab (Stelara, Yesintek)



Provider Order Form rev. 7/18/2025

PATIENT INFORMATION

Referral Status: ☐ New Referral ☐ Updated Order ☐ Order Renewal

Patient Name:	DOB:	Patient Phone:
Patient Address:	Patient Email:	
Allergies:	<input type="checkbox"/> NKDA	Weight (lbs/kg): Height (in/cm):
Sex: <input type="checkbox"/> M / <input type="checkbox"/> F	Date of Last Infusion:	Next Due Date: Preferred Location:

DIAGNOSIS (Please provide ICD-10 code in space provided)

Crohn's Disease:	Ulcerative Colitis:
Plaque Psoriasis:	Psoriatic Arthritis:

REQUIRED INFORMATION (Choose one)

- ☐ Patient will self-administer subcutaneous medication (**Referring provider will coordinate with specialty pharmacy**)
- ☐ Patient would like in-office injection medication (**NOTE: some insurance providers may require attestation from provider stating patient cannot self-administer with reason why such as needle phobia or low dexterity.**)

THERAPY ADMINISTRATION & DOSING (Choose one)

- ☐ Infuse Ustekinumab (Stelara) OR Ustekinumab biosimilar as required by patient's insurance.
- ☐ Administer this Ustekinumab product: _____
- For Crohn's/Ulcerative Colitis:**
- ☐ Induction: Administer Ustekinumab mixed in 250ml 0.9% NS over 1 hour on week 0, one time dose only:
- ☐ 260mg IV x1 dose (weight of up to 55kg)
 - ☐ 390mg IV x1 dose (weight of 55kg to 85kg)
 - ☐ 520mg IV x1 dose (weight greater than 85kg)
- ☐ Maintenance: Administer Ustekinumab 90mg subcutaneously every 8 weeks

For Plaque Psoriasis/Psoriatic Arthritis:

- ☐ Induction: Administer Ustekinumab subcutaneously on week 0 and week 4:
- ☐ 45mg subcutaneously (weight less than 100kg)
 - ☐ 90mg subcutaneously (weight greater than 100kg)
- ☐ Maintenance: Administer Ustekinumab 45mg subcutaneously every 12 weeks (weight less than 100kg)
- ☐ Maintenance: Administer Ustekinumab 90mg subcutaneously every 12 weeks (weight greater than 100kg)

PROVIDER INFORMATION

Preferred Contact Name:	Preferred Contact Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: Fax:
Practice Address:	City: State: Zip Code:

REQUIRED DOCUMENTATION CHECKLIST (Additional documentation required for processing and insurance approval)

Required Documentation: Patient demos, copy of front and back of primary and secondary insurance, 2 most recent OVN including treatment failures or contraindications, Colonoscopy, reason patient is unable to self-inject subcutaneous dose.

Required Labs: TB, Hep B ESR, CRP, for RA: RF, CCP, for CD/UC: cal pro

Provider Name (print)

Provider Signature

Date

Order valid for one year unless otherwise indicated. IV solutions/diluents may be substituted as allowed per manufacturer's instructions as necessitated by product availability.

LABORATORY ORDERS

☐ Other: _____

IV DOSE PRE-MEDICATION ORDERS

- ☐ Tylenol ☐ 500mg / ☐ 650mg PO
- ☐ Loratadine 10mg PO
- ☐ Pepcid 20mg ☐ PO / ☐ IVP
- ☐ Benadryl ☐ 25mg / ☐ 50mg ☐ PO / ☐ IVP
- ☐ Solumedrol ☐ 40mg / ☐ 125mg IVP
- ☐ Other: _____

NURSING

- ☒ Hold infusion and notify provider for:
- Signs/symptoms of illness/active infection or cough, night sweats, unexplained weight loss
 - Planned/recent surgical procedures, recent live vaccinations, or neurological changes
- ☒ Provide nursing care per Nursing Procedure, including Hypersensitivity Reaction Management Protocol and post-procedure observation

ADDITIONAL ORDERS

--