

Pegloticase (Krystexxa)

Provider Order Form rev. 05/22/2026



PATIENT INFORMATION

Referral Status: New Referral Updated Order Order Renewal

Patient Name: _____ DOB: _____ Patient Phone: _____
Patient Address: _____ Patient Email: _____
Allergies: _____ NKDA Weight (lbs/kg): _____ Height (in/cm): _____
Sex: M / F Date of Last Infusion: _____ Next Due Date: _____ Preferred Location: _____

DIAGNOSIS (Please provide ICD-10 code in space provided)

Gouty arthropathy: _____
Other: _____ Description: _____

Does patient have a Nephrologist No Yes (If Yes) Provider Name: _____

REQUIRED INFORMATION

G6PD Results _____
 Baseline uric acid level _____ & date _____

THERAPY ADMINISTRATION & DOSING

Krystexxa 8mg IV every 2 weeks with weekly oral methotrexate 15mg and daily folic acid 1mg¹
 Methotrexate contraindicated and patient is on Krystexxa Monotherapy 8mg IV every 2 weeks
 Monitor patient for hypersensitivity reaction for a period of 60 minutes following each infusion

¹Begin weekly Methotrexate and Folic Acid 4 weeks prior to the start of Krystexxa infusions.

FREQUENCY (Choose one)

Every 2 weeks
 Other: _____

ADDITIONAL ORDERS

LABORATORY ORDERS

Serum uric acid within 48 hours prior to each Krystexxa infusion, results must be available and reviewed before infusing.
 Standing Uric Acid order to be managed by referring office
 Standing Uric Acid order to be managed by Novella Infusion.
 Other: _____

PRE-MEDICATION ORDERS

All premedication administered 30mins prior to infusion
 Loratadine 10mg PO
 Tylenol 500mg PO
 Solumedrol 125mg IV
 Benadryl 25 mg / 50mg PO / IV (**must have per PI**)
 Other: _____

NURSING

Hold infusion and notify provider for:

- Uric acid level greater than 6 mg/dL for 2 consecutive treatments (lab orders above).
- Patient has had more than 4 weeks between treatments (due to increased risk for adverse reaction).
- Patient reports continued use of uric acid lowering agents (allopurinol, febuxostat, probenecid, etc.)
- Hypertension (170/90 or symptomatic)

Provide nursing care per Nursing Procedure, including Hypersensitivity Reaction Management Protocol and post-procedure observation

PROVIDER INFORMATION

Preferred Contact Name: _____ Preferred Contact Email: _____
Ordering Provider: _____ Provider NPI: _____
Referring Practice Name: _____ Phone: _____ Fax: _____
Practice Address: _____ City: _____ State: _____ Zip Code: _____

REQUIRED DOCUMENTATION CHECKLIST (Additional documentation required for processing and insurance approval)

Required Documentation: Patient demos, copy of front and back of primary and secondary insurance, 2 most recent OVN including treatment failures or contraindications with colchicine, NSAIDs, steroids, Febuxostat, Allopurinol, Probenecid. flares in 12 months, Gouty arthritis, Tophus
Required Labs: G6PD, UA level, CRP/ESR

Provider Name (*print*)

Provider Signature

Date

Order valid for one year unless otherwise indicated. IV solutions/diluents may be substituted as allowed per manufacturer's instructions as necessitated by product availability.

Disclaimer: By signing this form, I authorize Novella Infusion and its affiliates to act as my designated agent in submitting prior authorizations, financial assistance applications, and other clinically required information with respect to this patient and order. This enrollment form shall serve as my signature for prior authorizations and financial assistance programs, as requested.